

FURNITURE

HEIGHT ADJUSTABLE TABLES
TROLLEYS & STORAGE
COMPACTORS



HEIGHT ADJUSTABLE SINKS & ACCESSORIES

SP540 HEIGHT ADJUSTABLE SINK UNIT (2 SINK) ELECTRIC 240V



Dimensions: 2200W x 600D x (900 to 1150)H Bowl: 2 x 600 x 450 x 200 deep Rear Splash Back: 300mm Bench: Wet Edge Optional: 1 x Lower S/S Mesh Shelf

SP540.11 HEIGHT ADJUSTABLE SINK UNIT (CIRCULAR BOWL



Dimensions: 2000W x 600D x (900 to 1150)H

Bowl: 1 x 375 x 180 deep

Rear Splash Back: 300mm

Bench: Wet Edge

Optional: 1 x Lower S/S Mesh Shelf

(shown with Solid SS Shelf)

SP540. 1-R HEIGHT ADJUSTABLE RHS SINK UNIT (1 SINK) ELECTRIC 240V



Dimensions: 2000W x 650D x (900 to 1150)H
Bowl: 2 x 600 x 450 x 200 deep
Rear Splash Back: 300mm - Rear Only
Bench: Wet Edge
Optional: 1 x Lower Mesh Shelf (Picture shown with optional Solid S/S Shelf)

SP540.3 HEIGHT ADJUSTABLE SINK UNIT (3 SINK) ELECTRIC 240V



Dimensions: 1850W x 500D x (800 to 1200)H Bowl: 3 x 500 x 450 x 200 deep Bench: Wet Edge Optional: 1 x Lower S/S Mesh Shelf

SP540.1 HEIGHT ADJUSTABLE CENTRE BOWL SINK UNIT (1 SINK) ELECTRIC 240V



Dimensions: 2000W x 650D x (900 to 1150)H

Bowl: 1 x 600 x 450 x 200 deep

Rear Splash Back: 300mm - Rear Only

Bench: Wet Edge

Optional: Lower Mesh Shelf (Picture shown with optional Solid S/S Shelf)

SP544.1 HEIGHT ADJUSTABLE SCOPE SINK ELECTRIC 240V



Dimensions: 1850W x 500D x (800 to 1200)H Bowl: 3 x 500 x 450 x 200 deep Bench: Wet Edge Optional: 1 x Lower S/S Mesh Shelf

AO-SI-01 CIRCULAR SINK INSERT



Stainless Steel Wire Mesh 400mm Diameter 100mm High

AO-SI-02 RECTANGULAR SINK INSERT



Stainless Steel Mesh 500 x 300 x 130mmH

AO-SI-03 DOUBLE SINK INSERT



450 x 400 x Left bowl 150 deep Right bowl 200 deep Plug and Waste

WRAP STATIONS & ACCESSORIES

SP537.1 **HEIGHT ADJUSTABLE CSD WRAP**



Dimensions: 1800W x 750D x (800 to 1450mmH) Shelves: Full length top shelf 250mmW (700mm from benchtop) 1/2 middle shelf 250mmW (400mm from benchtop) 1/2 length maxi bin rail (400mm from bencthop)

1 x Lower stainless steel mesh shelves (1500mm x 450)

Sliding shelf for keyword/mouse 700Wx500mmRHS

Handles: Push handles both ends Castors: 125mm, 2 x Locking Castors, 2 x Swive Other: CPU and monitor holders 8 Port GPO with double pole switching, designed to AS3200

SP660.1 **HEIGHT ADJUSTABLE TABLE ELECTRIC - 240V**



Dimensions: 1500W x 750D x (800 to 1450mmH) Shelves: 1 x lower stainless steel wire shelf (450 x 1250)

Castors: 4 x 125mm, 2 x locking, 2 x swivel Construction: Stainless steel / welded

SP534.1 **HEAT SEALING STATION HEIGHT ADJUSTABLE - ELECTRIC** STATION ELECTRIC - 240V **240 VOLT**



Dimensions: 1400W x 800D x (800 to 1450H) Shelves: Compact Laminate Working Surface $2 \times Compact Laminate Storage Shelf (1200 \times$ 300)

Castors: 125mm 2 x Swivel, 2 x Locking Other: Over bench light, Located under top storage shelf Standard shelf Standard colour is white Other colours may be available at additional cost

SP540. 1-R **HEIGHT ADJUSTABLE RHS SINK UNIT** (1 SINK) ELECTRIC 240V



Dimensions: 2015W x 750D x (800 to 1450mmH) Shelves: 2 x Lower stainless steel mesh shelves (450 x 1250)

2 x 125mm swivel, 2 x 125mm locking castors Handles: Push handles both ends Castors: 2 x 125mm swivel, 2 x 125mm locking Other: Upper maxi bin rail, 2 x Steri peel holders

AO-WRAP RACK THREE BAR WRAP **RACK EXTENTION**



Fitted to height adjustable tables during manufacture Dimension: 430 x 700 x 430H

AO-KEYBOARD SLIDE OUT KEYBOARD SHELF (600 X 400)



Mounted during manufacture Construction: Stainless steel / welded

AO-MAG LIGHT MAGNIFYING LIGHT DESK MOUNTED



Colour: White 12.5cm round glass lens Magnification is 5 dioptre (2.2 times). 22 watt round fluorescent globe. Hinged lens cover.

AO-UNDER SHELF LIGHT UNDER SHELF LIGHT



1200MM, 240V Strip light fitted under height adjustable table shelf mounted during manufacture

AO-GPO **8 PORT GPO**



Mounted during manufacture 6 metre 15 amp cord GPO with double pole switching, designed to AS3200

AO-MONITOR MONITOR BRACKET



Desk mounting clamp Construction: Powder coated steel

AO-CPU HOLDER CPU HOLDER



Mounted during manufacture Construction: Powder coated steel

TROLLEYS & ACCESSORIES

SP398.7 **CSD CASE CART**



Dimensions: 880W x 650D x 970H (960 wide Inc. bumpers/push handles) Doors: Fully enclosed with front doors Shelf: $1 \times fixed wire shelf$, $1 \times top$, $1 \times bottom$ shelves

Handle: 1 x push handle, LHS Castors: 2 x 125 directional, 2 x 125 locking Buffers: 4 x corner buffers Construction: Fully welded / stainless steel Other: Swivel latch, flush door handles, chain so doors only open 135 degrees

SP398.8 - CSD CASE CART - FOR TROLLEY WASH SYSTEM



Dimensions: 730W x 660D x 1000H push handle) Doors: 1 full size Shelf: 2 x mesh fixed shelves, solid base 300mm from floor Handle: 1 x LHS 1000 high horizontal Castors: Stainless steel, 2 x 125 directional, 2 x 125 locking Construction: Fully welded / 304 stainless

steel rated to 120 degrees celsius

SP440.22 **WRAP RACK**



Dimensions: 1500W x 600D x 1450H Shelves: Stainless steel medimesh bottom shelf 4 x offset racks Castors: 125mm, 2 x brake, 2 x swivel Other: 5 x rubber rings per horizontal to prevent slipping Construction: stainless steel / welded Other sizes avaiable SP440.21 - 1250 x 600 SP440.23 - 1750 x 600

SP440.22 **WRAP RACK**



Dimensions: 1250W x 600D x 1160H Shelves: 3 x mesh shelves Castors: 4 x 125mm, 2 x brake, 2 x swivel (zinc plated) Request a quote for stainless steel castors Other: Stainless steel

SP443.4 **BIN TROLLEY**



Dimensions: 700W x 500D x 800H (top of tubs 900) Zinc plated castors: 4 x 100mm, 2 x brake Other: Bins 2 x 645 x 413 x 210 Slide to front with lids Bins above each other with 300mm gap Push handle and lid holders Construction: #304 stainless steel / welded

SP443.6 **BIN TROLLEY**



Dimensions: 930W x 800D x 1000H Zinc plated castors: 4 x 125mm, 2 x brake Other: Bins 4 x 645 x 413 x 210 (Int. $590 \times 352 \times 193$ mm) Slide to front with lids

Construction: #304 stainless steel / welded

SP443.7 **BIN TROLLEY**



Dimensions: 725W x 425D x 900H Shelves: 1 x bottom, 1 x drop down shelf 400mmW Push handle: 1 x 1000mmH Zinc plated castors: 4 x 100mm, 2 x swivel, 2 x Brake Other: 1 x bins (645 x 413 x 276)

Construction: #304 stainless steel / welded

SP443.8 **BIN TROLLEY**



Dimensions: 890W x 710D x 1000H Top of tub approx. 1000H Shelves: Top shelf only - 4 x Rails Zinc plated castors: 4 x 125mm castors, 2 x brake Other: Side by side bins 2 x 713 x 442 x 382 Push handle Construction: #304 stainless steel / welded

SP398 CSD CASE CART



920 x 650 x 970 (1070 wide inc push handles) Fully enclosed with front doors, 1 x fixed wire shelf, 1 x top and 1 x bottom shelves 2×125 directional, 2×125 locking castors, 4 x corner buffers

MEDIMESH - BASKET STAINLESS STEEL



MM-SS-BSK-410-300-105 410mmW x 300mmD



x 105mmH - 8mm



MM-SS-BSK-410-300-215 410mmW x 300mmD x 215mmH - 8mm

MEDIMESH - BASKET

STAINLESS STEEL

MEDIMESH - BASKET STAINLESS STEEL



MM-SS-BSK-410-450-105 410mmW x 450mmD x 105mmH - 8mm

MEDIMESH - BASKET STAINLESS STEEL



MM-SS-BSK-410-450-215 410mmW x 450mmD x 215mmH - 8mm

DIVIDERS STAINLESS STEEL



MM-SS-DIV 300 x 215 MM-SS-DIV 450 x 215 MM-SS-DIV 300 x 100 MM-SS-DIV 450 x 100

MEDIMESH - BASKET STAINLESS STEEL



MM-SS-BRT-01 485mm x 485mm Stainless steel Designed to be mounted

SESS is a Macemark Technology company.



SALES & SERVICES

07 3849 1077 62 Secam St, Mansfield QLD 4122

macemarktechnology.com