

Atherton



THE PANDA STERLINK

DESKTOP PLASMA
STERILIZER

SESS

STERPACK® 3 IN 1 FUNCTION

Sterilant + Chamber + Pouch



Unit size (WxDxH):
433mm x 614mm x 437mm

Chamber size (WxDxH):
240mm x 400mm x 125mm



MODE1: STERPACK®

POUCH STERILIZATION

7 minutes (135mm x 280mm)

14 minutes (240mm x 410mm)



MODE2: STERLOAD®

CHAMBER STERILIZATION

28 minutes



ACCESSORIES & CONSUMABLES

Everything you'll need to keep your STERLINK working at its best.



Special Cart



Printer



Sealing Machine



Pouch mode
STERPACK®



Chamber Mode
STERLOAD®



Chamber Mode
Tyvek pouch



Chemical Indicator
Strip (CI Strip)



Chamber Indicator
Tape (CI strip)



CBiological
Indicator (SCBI)



HEPA Filter
(Ventilation)



O₃ Filter
(Exhaust)

10 TIMES FASTER A FRACTION OF THE SIZE



With its compact size, lower running costs, ergonomic design, smart Instrument Tracking System (ITS) and two flexible operating modes offering 10 times faster sterilization than conventional sterilizers, the STERLINK FPS 15s Plus Plasma Sterilizer is a new revolution in sterilization technology.

FEATURES

Patented Vaporizer Technology	With an industry leading PFEIFFER vacuum pump at its heart, the STERLINK delivers perfect vacuum condition for a perfect sterilization process.
STERPACK 7-minute pouch mode 14-minute plus pouch mode	STERPACK Pouch Sterilization mode allows for an ultra-fast cycle time of just 7 minutes. The sterilant is stored safely inside the pouch, which is easily loaded into the STERLINK's ergonomic chamber and leaves no residue (so there's no cleaning).
STERLOAD 28 minute chamber mode	Sterilize up to 15 litres in chamber mode for ultimate efficiency. Simply load a STERLOAD cartridge and sterilize a whole set of medical tools all at once. The sterilant is stored safely inside the cartridge and delivers a residue-free result.
Smart ready	STERLINK's Smart Ready system automatically detects and removes moisture before the cycle begins. The result? Perfect sterilization every time.
Instrument tracking system	Smart monitoring means smart servicing. Real-time data monitoring of device usage ensures there's advance notice of your STERLINK's service requirements. So it keeps performing and so can your instruments.

SESS is a Macemark Technology company.